

**MultiPASS™ F50**  
**MultiPASS™ F30**

**SERVICE**  
**MANUAL**

REVISION 0


MultiPASS F50	H12-2192	120V	USA
MultiPASS F50	H12-2193	120V	CND/LTN
MultiPASS F30	H12-2202	120V	USA
MultiPASS F30	H12-2203	120V	CND/LTN

**Canon**  
JULY 2001 **HY8-19AV-000**  
COPYRIGHT © 2001 CANON INC. CANON NUMBER: HY8-19AV-000 JULY 2001

**File Name:** Canon multipass f50 manual.pdf  
**Size:** 2408 KB  
**Type:** PDF, ePub, eBook  
**Category:** Book  
**Uploaded:** 10 May 2019, 20:31 PM  
**Rating:** 4.6/5 from 792 votes.

**Download Now!**

Please check the box below to proceed.

<input type="checkbox"/>	I'm not a robot	
		reCAPTCHA Privacy - Terms

## Book Descriptions:

# Canon multipass f50 manual

**MultiPASS™ F50**  
**MultiPASS™ F30**

## SERVICE MANUAL

REVISION 0

MultiPASS F50	H12-2192	120V	USA
MultiPASS F50	H12-2193	120V	CND/LTN
MultiPASS F30	H12-2202	120V	USA
MultiPASS F30	H12-2203	120V	CND/LTN

**Canon**

JULY 2001

**HY8-19AV-000**

COPYRIGHT © 2001 CANON INC.

CANON MULTI-PASS F50/F30 JULY 2001

Step 2 Set up the F50 MFP 1. Remove shipping tape and protective shipping materials. Remove the shipping material. 3. Unlock the scanner. Set the scanning lock to unlock. Press the scanning unit closed until it clicks. 4. Attach the trays. Step 3 Prepare the F50 MFP 1. NOTE to enter sender information, including date and time, see page 13 of your MultiPASS F50 Users Manual. 4. Open the scanning unit again. The printhead holder will move to the center position. NOTE Do not touch the electrical contacts. 3. Raise the gray lock lever. 4. Gently slide the printhead into the holder. The printhead will rest at a slight angle. Do not press it down. NOTE To avoid spilling ink, never press on the sides of the ink tank. 3. Press the key once. 3. If you have difficulty when choosing between patterns for Columns D, E or F, use the smaller value number. 6. When values for all vertical columns on the printout have been entered, the LCD will display LAT LINE PATTERN, and a lateral horizontal pattern will print. If you agree to its terms, click YES. If you do not agree, click NO. You will not be allowed to continue the installation process. 7. Select the MultiPASS F50 for installation. Continue to follow the onscreen instructions. If your PC does not restart automatically, restart it manually. NOTE Remember to register your product to ensure product support. The serial number is located on the back of the F50 MFP, above the parallel port. If you agree to its terms, click YES. You will not be allowed to continue the installation process. 8. Select the MultiPASS F50 for installation. Continue to follow the onscreen instructions. We have 7 Canon MultiPASS F50 manuals available for free PDF download Software Users Manual, User Manual, Fax Manual, Reference Manual, Setup Instructions, Specification. We added superior color printing and scanning capabilities. And we included high quality color faxing. The result One of the most powerful and essential F50 additions to your home or office. <http://chandigarhdatarecovery.com/files/dsc-alarm-1832-installation-manual.xml>

- **canon multipass f50 manual, canon multipass f50 manual download, canon multipass f50 manual instructions, canon multipass f50 manual free, canon multipass f50**

manual 2017, canon multipass f50 manual software, canon multipass f50 manual review, canon multipass f50 manual downloads, canon multipass f50 manual diagram.

# **MultiPASS™ F50** **MultiPASS™ F30**

## **SERVICE MANUAL**

REVISION 0

MultiPASS F50	H12-2192	120V	USA
MultiPASS F50	H12-2193	120V	CND/LTN
MultiPASS F30	H12-2202	120V	USA
MultiPASS F30	H12-2203	120V	CND/LTN

**Canon**

JULY 2001

**HY8-19AV-000**

COPYRIGHT © 2001 CANON INC.

CANON MULTI-PASS F50/F30 JULY 2001

The Canon MultiPASS F50 multifunction peripheral MFP is a performance powerhouse. Please check your inbox, and if you can't find it, check your spam folder to make sure it didn't end up there. Please also check your spam folder. We added superior color printing and scanning capabilities. And we included high quality color faxing. The result One of the most powerful and essential additions to your home or office. The Canon MultiPASS F50 multifunction peripheral MFP is a performance powerhouse—four full featured Canon machines in one, high powered compact design. It can make high quality legal and letter size copies in black and white at up to 17 copies per minute cpm and up to 10 cpm in color. Canon's advanced MicroFine Droplet And an intelligent ink management system uses individual ink tanks for each color, so you replace only the color you need as it runs out, not the entire cartridge. This page requires Javascript. Modify your browser's settings to allow Javascript to execute. See your browser's documentation for specific instructions. To install your download click on the name of the downloaded file. The MultiPASS. F50 MFP's centerpiece is a full featured flatbed color copier. It can make It reduces and enlarges. And The MFP's same high performance imaging system The high performance printer can output pages at up to 17 ppm in black and 12 The built in color At up to 33.6 Kbps, it has the ability to fax a page in Advanced technology built in. The. MultiPASS F50 MFP features exclusive technologies that make it one of the most Canons Advanced MicroFine Droplet Technology helps put With its ultrafine, 5 picoliter droplets, it refines color, precision and And an intelligent Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store Tired of trying to make your handwriting legible in order to illustrate a point. <http://es21sys.com/userfiles/dsc-acuity-ac100-manual.xml>

# **MultiPASS™ F50** **MultiPASS™ F30**

## **SERVICE MANUAL**

REVISION 0

MultiPASS F50	H12-2192	120V	USA
MultiPASS F50	H12-2193	120V	CND/LTN
MultiPASS F30	H12-2202	120V	USA
MultiPASS F30	H12-2203	120V	CND/LTN

**Canon**

JULY 2001

**HY8-19AV-000**

COPYRIGHT © 2001 CANON INC.


CANON MULTI-PASS F50/F30 JULY 2001

For your next important meeting, you can make impressive charts and graphs with these clear, overhead transparencies, printed right from your Canon Color Bubble Jet printer. Package includes 50 sheets. Optimize output resolution to create nearphotographic images. This paper is great when you want highquality color output to produce winning reports and eye-catching graphics. Use with genuine Canon Photo Inks for true photoquality output. Package includes 100 sheets. Package includes 50 sheets. This paper yields a glossy finish and exceptionally rich color, giving your images the look and feel of a traditional photograph. Package includes 20 sheets. Package includes 15 sheets. Copyright This manual is copyrighted by Canon U.S.A., Inc. with all rights reserved. The F50 MFP eliminates the need for multiple devices in your home or office by incorporating the functions of Printer Print crisp, clear color or black and white pages from your PC. Copier Use your F50 MFP as a standalone copier for color or black and white copies. Scanner Scan highresolution images to your PC. Page 8 F50 Chapter 133. Some options are common to all modes. How to Load Paper and Envelopes Tips on Navigating the Control Panel Menus Introduction F50 Chapter 133.qxd Press the Set button to move down to the next menu level or select a menu option. With the MultiPASS Toolbar, your F50 MFP is fully integrated with your PC as a printer, copier, scanner and fax. Documents scanned through the MultiPASS Toolbar can be saved, edited, faxed or emailed. You can also customize the settings for the different toolbar features. For more information, see the online MultiPASS Software Guide available on your MultiPASS CDROM. Using the MultiPASS Toolbar Opening the toolbar provides direct access to the MultiPASS features. Once the toolbar is open, you can access the desired feature directly. When one tab is complete, select the next tab and continue. Click OK to save the new settings and exit the dialog box.

Working with Saved MultiPASS Files When a document is scanned with the Scan to Save option or is saved from within the MultiPASS viewer, it is saved in the My MultiPASS folders. Files you have created in other applications cannot be saved in My MultiPASS folders. To access files in the My MultiPASS folders Click the icon on the MultiPASS Toolbar or doubleclick the My MultiPASS icon on the desktop. You can now enter WAB Contacts individual data or a WAB Distribution List multiple addresses to whom you repeatedly send the same PC faxes. Click the Receive Fax tab. Under Receive Conditions, click the dropdown menu next to When Computer Is On. Before you can use your F50 MFP for faxing, you will need to connect the F50 MFP to your phone line, then fully

configure the F50 MFP for faxing. MACHINE MODE Answering Machine Machine, Answering Machine and Telephone ANS. Use the numeric keys to enter date MMDDYY, and time HHMM in 24hour format. Press 3 to save. Tips on Entering Names and Numbers Refer to the table below for which numeric key to press for each character. If your line does not support touch tone dialing, you can reset the F50 MFP for rotary dialing. See the online MultiPASS Fax Guide on your CDROM for instructions on how to switch from touch tone to rotary dialing. Press to scroll through receive modes, then press to save the to exit. Setting a Distinctive Ring Pattern DRPD is a service offered by most phone Distinctive Ring Pattern Detection D companies, providing multiple phone numbers with different ring patterns on the same line. Press Press until RX SETTINGS appears. Press Press 2 to access. Set DRPD SELECT FAX until DRPDSELECT FAX appears. Press Press 3 to access. to select. Set ring pattern Press Press to scroll to the ring pattern assigned to your fax line. to select. When done, press to exit. See "Printing Reports on Demand" on previous page. Press Setting Up Your Fax 1 to access. Press until REPORT SETTINGS appears.

SCHEMATIC DIAGRAM CAMERA-MAIN C.B.A.



01 May, 1991

<https://skazkina.com/ru/bosch-instantaneous-gas-hot-water-manual>

Press Press to scroll to the desired report. Press to access. to access. Page 26 F50 Chapter 333. If you have set the MultiPASS Suite to upload received faxes from the F50 MFP to your PC, but your PC is off, the F50 MFP will store the received faxes in its memory. Depending on the mode you've set for receiving faxes see "Setting the Fax Receive Mode" on page 14 you can also manually receive faxes if needed. Sending Faxes To manually send a fax 1 Load document Insert the document face up in the ADF tray, or face down on the glass. 2 Enter fax mode to access Fax Mode. The Send Fax dialog box will appear. Follow the onscreen instructions. Redialing a Busy Number If a fax does not go through the first time, the F50 MFP will automatically try two more times to send the fax at twominute intervals factory default setting. If all attempts are unsuccessful, the transmission will be canceled and an ERROR TX report will print. Press Press to select. AUTO REDIAL must be on. 2 Access REDIAL TIMES Press to access, then press attempts. Press twice to select. If you are not


near the F50 MFP, press 25 the remote receiving code on the numeric keypad on your phone, then hang up. Canceling a Fax You can cancel current incoming or outgoing faxes. Press to cancel the fax, then press Report will automatically print. An Error TX To cancel a fax after a document has been scanned or to cancel an incoming fax Press to cancel. Press Press 2 twice to access 1TOUCH SPD DIAL. Select a speed dial button Tips on Entering Names and Numbers Into the F50 MFP Refer to the table below for the numeric key to press for each character. Press each key once or more until the desired character appears. Press to scroll through OneTouch Speed Dialing buttons. Select phone number How to Fax Press the OneTouch Speed Dial button that corresponds to the desired fax number. The fax will automatically be scanned and sent. Select code 0099 Press to scroll through the codes.

<http://hillstromplasticsurgery.com/images/buffalo-airstation-wla2-g54c-manual.pdf>



If a Speed Dial Code is already set up, the number will appear. If a group is registered for that code see Group Dialing on the next page, the message GROUP DIAL appears. Scroll to an unused code and press 3 twice. Press 3 twice to save these settings. Delete or edit name Press to delete all or part of the name. If editing, enter the correct name. Press to exit. How to Fax Press To send a fax using Coded Speed Dialing 1 Load document Insert the document face up in the ADF tray, or face down on the glass. 2 Enter fax mode Press 3 to access Fax Mode. You can also print Group Dial lists after they are set up. See "Printing Reports on Demand" on page 18 for procedures. Press until GROUP DIAL appears. Select Group Dial list Press to scroll through OneTouch Speed Dial codes 01 to 12, or press Press 3 to access. How to Fax 1 twice. Delete entry Press to scroll through phone numbers. Press and hold to delete the displayed entry. The group name will display. Press to begin faxing. Press until DELETE DOCUMENT appears. Press Press 3 to access. Select document Press 4 to access. Enter fax mode to access Fax Mode. Press 3 Select color Press 4 How to Fax 2 to select. The color indicator light will come on. Dial number Using the numeric keypad, dial the number. Press to send the fax. The fax will be scanned and sent. Press to access SCAN CONTRAST. To set the scanning resolution 1 Access FAX RESOLUTION Press 2 to access Fax Mode. Press to access FAX RESOLUTION. If you are working with a color document and want to fax in color, you must specify so. You can broadcast the same document to up to 113 locations, using a combination of OneTouch Speed Dialing 12 locations maximum, Coded Speed Dialing 100 locations maximum and regular redialing 1 additional location. Page 44 F50 Chapter 433. For a full list of Canon specialty media that can be used with your F50 MFP, see the inside back cover of this manual.

<http://jochenschild.com/images/buffalo-airstation-wzr2-g300n-manual.pdf>



A printer driver is a software program that acts as an interface between your computer and your printer and allows you to print from any application that supports printing in Windows. However, if your PC has access to multiple printers, you can select the F50 MFP as the default. If another printer is set as the default, you can select the F50 MFP for a specific print job from within most Windows applications. The job will be canceled and the paper ejected. To cancel a job from Windows 1 Access Printers While the print job is running, click Start, then Settings, then Printers. 2 Delete job Doubleclick Canon MultiPASS F50 Printer, rightclick the print job, then Cancel. With Canon MultiPASS F50 Printer as the selected printer, click Properties. The Properties window will open to the Main tab. 2 Use Print Advisor Click the Print Advisor button. The wizard dialog box will open. Click Set to open the Set Print Quality dialog box. There are two features you can control Print Quality Provides five settings for custom print quality, ranging from Fast at the far left prints at 600 dpi, which means faster printing and less ink to Fine, which prints at 2400 x 1200 dpi. Halftoning Controls the pattern in which the ink is laid down when printing graphic images. To adjust color settings 1 Access printer driver From an application File menu, select Print. The Properties window will open to the Main tab. Use this feature to compensate for unsatisfactory color balance and over or underexposure before printing. To optimize images 1 Access printer driver From an application File menu, select Print. 2 How to Print With Canon MultiPASS F50 Printer as the selected printer, click Properties. From this tab, you can change the following Page Size defaults to the page size set in the original document, but can be changed. Orientation lets you select either portrait or landscape orientation. Printer Paper Size is the page size used by the printer. This defaults to match the page size.

With Canon MultiPASS F50 Printer as the selected printer, click Properties. 2 Name and save profile Click the Profiles tab. How to Print Click Add to Profiles, then type a name for your settings in the Name field. You can also select an icon for this profile. Type a description of your settings. Click Save. Page 54 F50 Chapter 533. The F50 MFP provides highquality black and white or color copies, and can make up to 99 copies at a time. If copying more than one document, you can feed multiple pages through the automatic document feeder ADF. You can also adjust the scale and quality of the copied image. The F50 MFP will feed the top page first. You can load up to 30 letter or legalsize pages of 20 lb.If a paper jam occurs, see below. Raise the paper release lever and slide the paper under the roller to the left. Pull the jammed paper from the ADF. Lower the paper release lever, then close the feeder cover. 4 Restart operation Press to start the operation again if you are printing from a Windows application. Be careful not to touch the components inside the F50 MFP. When the paper is out, close the scanning unit, then turn the F50 MFP back on. 4 Restart operation Press the on. Press button to turn the F50 MFP to start the operation again. The LCD panel will display number of

copies remaining. Reducing or Enlarging the Image Copied You can reduce or enlarge the copy size within a range of 25% to 400% by using preset percentages for reducing or enlarging, or set the percentage ratios manually. To enlarge or reduce using preset ratios Load document Place documents to be copied either directly on the platen glass or into the ADF. Press To make a color copy, press light up. once. The color function indicator will Set the number of copies needed using the numeric keypad. 3 Select ENTIRE IMAGE Press then to access Special Copy menu. Press ENTIRE IMAGE displays, then press the 4 until button.

<http://aliancegroup.su/wp-content/plugins/formcraft/file-upload/server/content/files/16271b0be4b1f5---braun-4162-manual.pdf>

Adjusting Image Quality Low image quality may cause text and graphics to have a jagged appearance, while a higher image quality provides smoother curves and lines, and crisp text and graphics. The F50 MFP has image quality settings. Create a mirror image copies a document in reverse mirror image. For more information on these features, see the online MultiPASS Reference Guide on your CDROM. There are two basic ways to obtain a scanned image From within an application Open an application that supports scanning, then open the scanning software and perform the scan. The scanned image will automatically be brought into the application. Much in the same way your printer driver allows your PC to communicate with your printer, a TWAIN driver makes it possible to send a scanned document from a scanner to your application. To enable ScanGear Software Click the Settings icon on the toolbar, then click the Toolbar Settings tab. Under General, check the box for Show ScanGear before scanning. The ScanGear dialog box will open whenever you scan from the MultiPASS Toolbar. Page 68 F50 Chapter 733. Cleaning Your F50 MFP Clean your F50 MFP periodically with a soft, dry, lintfree cloth to maintain image quality, and to keep the unit free of dust and debris. When ink runs out in an ink tank, an INK EMPTY message will appear in the LCD panel. Never squeeze the sides of an ink tank. 4 Install new ink tank Gently insert the ink tank and press down until it clicks into place. Do not force an ink tank into the printhead. If the ink tank does not go in smoothly, reseal it, then try again. Press the scanning unit closed until it clicks securely into place. See "Cleaning the Printhead" below. If patterns are not uniformly solid, align the printhead. See "Aligning the Printhead" on the next page. Cleaning the Printhead If the printed nozzle check pattern is broken, missing, or a specific color is not printed, the printhead needs to be cleaned.

[AVE-FRANCE.COM/pics/files/combison-401-manual.pdf](http://AVE-FRANCE.COM/pics/files/combison-401-manual.pdf)

Several sheets of paper are required to align the printhead. Ensure that a stack of paper is loaded in the F50 MFP before performing alignment. If you have difficulty on Columns B or C when choosing between two patterns, use the larger value number. If you have difficulty when choosing between patterns for Columns D, E or F, use the smaller value number. Page 74 F50 Chapter 833. Faxing The fax feature is not working as expected. Printing The printing feature is not working properly. Scanning The scan feature is not working as expected. Paper Feeding Paper is not feeding through the unit properly. LCD Message An error message displays on the F50 MFP LCD panel. A sixfoot cable is ideal. F50 MFP is not ready prior to launching the MultiPASS Status Monitor Try starting the Status Monitor after the F50 MFP has been powered on. No dial tone Press the Hook button or lift the handset on the phone connected to the F50 MFP to hear a dial tone. If no dial tone is present, disconnect the F50 MFP from the jack on the wall. If transmission did not include CNG tone, you will have to receive the fax manually. Press the Hook button or lift the handset of the phone connected to the F50 MFP and press Start. Paper not loaded Make sure paper is loaded in the multipurpose tray. Printout does not match paper size Paper not correctly loaded and aligned Make sure the paper is loaded and aligned correctly in the multipurpose tray, and that the paper guides are adjusted correctly. Then try printing again. F50 MFP is unplugged Plug in the F50 MFP and try printing again. MultiPASS Status Monitor not running To print to the F50 MFP, the MultiPASS Status

Monitor must be running. One or more ink tanks empty Check for an error message in the LCD and replace if necessary. F50 MFP memory is full Print or delete any documents stored in memory to free up space, then start again. If copying a single document, make copies one at a time. Do not load more than 10 envelopes at a time.

Also check for a paper jam and clear the jam if necessary. Then press Resume and start again. Waste tank is full The F50 MFP has a builtin waste ink tank to hold the ink consumed during printhead cleaning. Contact the Canon Customer Care Center to have the waste ink tank replaced. TX nnnn SCANNING P. nnnn MEMORY FULL PLEASE WAIT F50 MFP is sending The F50 MFP continues to send the document as memory becomes a document and available. This is not an error condition. Always follow the instructions provided in Cautions to prevent minor injuries to yourself or damage to the equipment as a result of careless operation of the equipment. Also, do not place heavy objects on the power cord, pull on it, or extensively bend it. These actions may cause electrical damage and result in a fire or electrical shock. Do not insert or unplug the power plug with wet hands, as this may result in electrical shock. During electrical storms, turn off the power and disconnect the power cord from the power outlet. Use of a shielded cable is required to comply with Class B limits in Subpart B of Part 15 of the FCC Rules. Page 98 F50 Chapter 1033. We added superior color printing and scanning capabilities. And we included highquality color faxing. The result One of the most powerful and essential additions to your home or office. The Canon MultiPASS F50 multifunction peripheral MFP is a performance powerhouse—four fullfeatured Canon machines in one, highpowered compact design. It can make highquality legal and lettersize copies in black and white at up to 17 copies per minute cpm and up to 10 cpm in color. It reduces and enlarges. And it features a builtin 30page Automatic Document Feeder— which speeds copier, scanner and fax operation. The MFP's same high performance imaging system enables you to scan documents and photos at 9600 dpi in brilliant 36bit color. The highperformance printer can output pages at up to 17 ppm in black and 12 ppm in color—speed that rivals stand alone desktop printers.

The builtin color fax features speed dial, a large memory and Canon's Super G3 highspeed facsimile technology. Canon's advanced MicroFine Droplet Technology helps put truly remarkable 2400 x 1200 dpi photoquality color printing to work for you. With its ultrafine, 5picoliter droplets, it refines color, precision and detail for breathtaking photo printing even on plain paper. And an intelligent inkmanagement system uses individual ink tanks for each color, so you replace only the color you need as it runs out, not the entire cartridge. No accounts or sign ups necessary! While you are waiting, you will have the opportunity to The time required is typically tied to the size of the manual. Page Count 2 MultiPASS Document Feeder The High Production Business Tool for. Professional Results. We started with the ability and legendary quality of Canon color copiers. And we included The fullfeatured copier and more. The MultiPASS F50 MFP's centerpiece is a fullfeatured flatbed color copier. It can make highquality legal and lettersize copies in black and white at It reduces and Advanced technology built in. The MultiPASS F50 MFP features exclusive technologies that make it Canon's advanced MicroFine Droplet. Technology helps put truly remarkable 2400 x 1200 dpi photoquality color And an intelligent inkmanagement system uses individual ink tanks for each Telephone Network PSTN currently supports 28.8 Kbps modem speeds or lower, depending on With Automatic Document Feeder. MultiPASS F50. Technical Information. Color Bubble Jet Printer. Facsimile. Print Speed Printing. Resolution. Paper Handling. Paper Cassette. Applicable Line. Compatibility. Data Compressing. System. Transmission. Speed up to. Paper Sizes. Paper Weights. Interface. Black 17 ppm. Color 12 ppm. Black 600 x 600 dpi. Color 2400 x 1200 dpi. Automatic feed A4—210mm x 297mm. US Commercial No. 10 envelope IEEE 1284 compatible parallel cable. Copier. Mono Copy. Color Copy. Copy Speed Enlargement. No. of Copies Approx. 17 cpm.

Color Letter Size Approx. 10 cpm Maximum 99 copies. Scanner. Color Scanning. Resolution Color Depth Compatibility. Facsimile cont.. Reception Memory transmitting from memory. Fax Scanning.

Fax Resolution. Color Standard 200 x 200 dpiAutomatic Dialing OnetouchCoded Speed  
Dialing—Max. 111 destinations. Regular Dialing; Automatic. Redialing Manual Redialing.  
Networking. Sequential Broadcast Max. 113Automatic Reception. Remote Reception by Telephone.  
Nonring reception. ECM Deactivation. DRPD Distinctive Ring Pattern. Activity Report after  
everyNondelivery report. TTI Transmit Terminal. Identification. Canon Specialty Papers. Bubble Jet  
Paper waterresistant. Greeting Cards Fold. Description. Canon Specialty Papers cont.BCI3eBk  
Black. BCI3eC Cyan. BCI3eM Magenta. BCI3eY Yellow. Requirements. Software. Included.  
DimensionsWeight. WarrantyPentium 133 Processor or HigherMicrosoft Internet Explorer Version  
4.0MB of available Hard Disk SpaceCD Rom DriveIEEE Parallel cable for parallel portBased on 20  
lbs. paper. Based on Canon COLOR FAX TEST SHEET. InstantExchange Warranty program is  
subject toSee the warrantyFor More Information Visit. Multifunction Peripheral. Manual mode;  
Answering machinePattern Detection. General SpecificationsOrdering Information. Receive Options.  
Public Switched Telephone NetworkFor the name of a dealer near you, callDigital Home and  
Personal Systems DivisionCosta Mesa, California 92626Mississauga, Ontario L5T 1P7,  
CanadaMiami, Florida 33126See Extended Service Plan Agreement for details.Specifications are  
subject to change without notice. All print speeds are based on highspeed draft mode. Print speed  
will vary depending onFile Type Extension pdf. PDF Version 1.2. Linearized Yes. Create Date  
20010813 151626. Producer Acrobat Distiller 4.0 for Macintosh. Modify Date 20010813  
1516270700. Page Count 2. We delete comments that violate our policy, which we encourage you to  
read.

<http://fscl.ru/content/bosch-instantaneous-gas-hot-water-manual>