



File Name: canon 3320i service manual.pdf

Size: 2261 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 16 May 2019, 15:54 PM

Rating: 4.6/5 from 764 votes.

Status: AVAILABLE

Last checked: 18 Minutes ago!

In order to read or download canon 3320i service manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon 3320i service manual . To get started finding canon 3320i service manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

canon 3320i service manual

Please do not offer the downloaded file for sell only use it for personal usage. Looking for other manual For this no need registration. May be help you to repair. You could suffer a fatal electrical shock. Instead, contact your nearest service center. Note! To open downloaded files you need acrobat reader or similar pdf reader program. In addition, Also some files are djvu so you need djvu viewer to open them. These free programs can be found on this page needed progs If you use opera you have to disable opera turbo function to download file. If you cannot download this file, try it with CHROME or FIREFOX browser. Translate this page Relevant PRINTER forum topics Canon i865 A fenti nyomtato tapjanak kapcsolasi rajzat keresem, vagy kaphato e tap kulon. Canon PIXMA MG2555S ink waste reset Hellotok. A targybeli nyomtato 1700as hibat jelez, torolnom kellene a tinta hulladeklerako szamlalojat. Az interneten ehhez a tipushoz nem talaltam semmit, a tobbi nyomtatohoz ajanlott nyomogatasok sikertelenek. Tud ebben valaki segiteni. Elore is koszonom. Canon PCD 450 hibakod Szevasztok. Baratom Canon PCD 450es gepe kerult hozzam E007es hibakoddal.A kemenceben a film volt elhasznalodva teflonreteg serult.Film es nyomohenger csere utan is ugyan az a hibakod.Tud valaki egy szerviz konyvvel vagy legalabb egy hibakod tablazattal segiteni vagy egy ottlettel hogy mi okozhatja a hibat. A fenti hibauzenet jelent meg a gepen. Van valakinek tapasztalata. Udv Wolf Similar manuals You can write in English language into the forum not only in Hungarian. Please refer to them for detailed information. The manuals supplied with optional equipment are included in the list below. Depending on the system configuration and product purchased, some manuals may not be needed. Guides with this symbol are PDF manuals included on the Guides with this symbol are printed manuals. However, as we are constantly improving our products, if you need an exact specification, please contact Canon.<http://hyxbag.com/fckeditor/editor/filemanager/connectors/php/fckeditor/upload/202011/constuction-health-and-safety-manual-bc.xml>

- **canon 3320i service manual, canon ir3320i service manual pdf, canon 3320i service manual, canon 3320i service manual pdf, canon 3320i service manual download, canon 3320i service manual free, canon 3320i service manual online.**

Please read this manual thoroughly before operating the product in order to familiarise yourself with its capabilities, and to make the most of its many functions. After reading this manual, store it in a safe place for future reference. Note that functions that cannot be used depending on the model or options, are not displayed on the touch panel display. Ethernet is a trademark of Xerox Corporation, Inc. Macintosh is a trademark of Apple Computer, Inc. Chapter 2 Press to select the Special Features mode. The Reference Guide Press to check the progress of a copy job, change the order of printing, or cancel printing. Transparency p. 217 Press to select or cancel the Transparency Interleaving mode. This mode enables you to eliminate dark borders and lines that appear around original images, or shadows from punched holes. This is convenient when you cannot load all of the originals to be copied all at once. p. 256 Press to notify the user through email that the copy job has been completed. Set the copy mode on the Special Features screen. The Special Features screen is divided into two screens. When scanning is complete, remove the original. Flow of Copy Operations 113. However, this maximum number of copies can also be changed. For details, contact your service representative. Specifying the Required Number of Copies Press numeric keys to enter the desired copy quantity 1 to 999. The copy quantity appears in the upper right side of the touch panel display. Press numeric keys to reenter the copy quantity 1 to 999. The copy quantity appears in the upper right side of the touch panel display. For example, the original scanned by this machine can be

printed by the remote copy printer independently remote copying or simultaneously cascade copying. You can select only a remote copy printer that supports the selected copy settings. The registered remote copy printer connected to the machine is displayed. http://www.geotransservis.ru/imgeditor/construction_health_safety_manual_pdf.xml

The printers that do not support the chosen settings are shown, but are greyed out. And, even if the remote copy printer supports the Copy mode, if you select settings other than Collate and Group, you can select only a remote copy printer equipped with the same finisher as the original copy machine. The available copy settings will include only those settings supported by the machines you have selected. The following screen is displayed. Press Copying starts. Selecting the Copy Paper Size Paper Select 129. Press Copying starts. The exposure is automatically adjusted to the level best suited to the quality of the original. In this case, use Manual Exposure Control. The display returns to the Basic Features screen. To enlarge, select a preset enlargement ratio. Press Copying starts. The available copy ratios are from 25% to 800% when the original is placed on the platen glass, and from 25% to 400% when the original is placed in the feeder. You can also enter values using numeric keys. The display returns to the Basic Features screen, and the selected copy ratio is displayed. If you enter a value outside the setting range, a message prompting you to enter the appropriate value appears on the screen. The available copy ratios are from 25% to 800% when the original is placed on the platen glass, and from 25% to 400% when the original is placed in the feeder. The display returns to the Basic Features screen. The display returns to the Basic Features screen, and the selected copy ratio is displayed. Press Copying starts. However, if you set the Entire Image mode, the copied image is slightly reduced proportionately to the paper and image size. The specified mode is set, and the display returns to the Basic Features screen. Press Copying starts. The display returns to the Basic Features screen, and the selected copy ratio is displayed. Place the original on the platen glass if the zoom ratio is more than 400%. The copied paper is output as face down.

The output is as follows Originals Copy Set 1 Copy Set 2 Copy Set 3 Three Sets of Specified Copies When is set All copies of the same original page are automatically collated and grouped together. The output is as follows Grouped Grouped. Originals Copies When is set The machine punches 2 or 4 holes in the copied sheets. Originals Copies When is set If originals of the same size are placed, the pages are aligned, and the copy sets are output in alternating directions. Collating Copies Finisher 171. When the FinisherJ1 is attached, the saddle stitch position cannot be selected. For details of the saddle stitch position, see Chapter 8, "Appendix," in the Reference Guide. The specified mode is set, and the display returns to the Basic Features screen. Press one time for each original. TwoSided Copying TwoSided 177. Press When the original is placed on the platen glass, follow the instructions that appear on the touch panel display. Press one time for each original. Copying starts. Press When the original is placed on the platen glass, follow the instructions that appear on the touch panel display. Copying starts. If these originals are placed vertically, the back sides of the copies will be printed upside down. TwoSided Copying TwoSided 183. Press Copying starts. If you want to make copies in page order, begin copying from the first page and work your way forward. Place the original face down, so that its top edge is aligned with the back edge of the platen glass. Your scanned documents are processed after the current job is completed. Interrupt copy jobs are not included in this count. After the current job is complete, repeat the operation. Reserved Copying 189. This mode is useful if you need to make a rush copy during a long copy job. Once the original is scanned, remove it from the machine. To change the number of copies, use numeric keys. Repeat the procedure.

194 Checking a Sample Set Before Copying Sample Set The display shows the Setting Confirmation screen of the selected copy mode settings. Checking the Copy Mode Settings Setting Confirmation 195. The display returns to the Setting Confirmation screen. The specified mode is set, and the display returns to the Basic Features screen. Press Copying starts. You may also copy on this cover

sheet. Back Cover Adds a back cover sheet to each set of copies. You may also copy on this back cover. This function is useful when you want to divide your copy sets into different sections with a blank sheet. You can also copy on these sheet insertions. Originals Copies When the Saddle Finisher G1 is attached. The specified mode is set, and the display returns to the Basic Features screen. The machine automatically interleaves a sheet of paper between each transparency. The interleaf sheets protect the copied surface of the transparencies. They can also be printed with the same images as the transparencies or left blank. When the original is placed on the platen glass, follow the instructions that appear on the touch panel display. Copying starts. The copies are printed with the copied side face down. The transparency is first, followed by the interleaf sheet. The shift direction refers not to the direction in which the original is placed on the platen glass or in the feeder, but to the direction that you want the original image shifted, if the original image is viewed as face up and situated in the centre of the copy page. When entering values in millimetres, you can use numeric keys and NOTE. The diagonal directional arrow is displayed. Use this mode when you want the copies placed in a ring binder. Select the Margin type, and set the Margin Width. The specified mode is set, and the display returns to the Basic Features screen. If you select one of these modes, the previously set mode is cancelled. Copy Book Frame Erase Selected Original Copy Book Frame Erase Not Selected IMPORTANT.

When entering values in millimetres, you can use numeric keys and If you enter the value with. The specified mode is set, and the display returns to the Basic Features screen. When entering values in millimetres, you can use numeric keys and to clear your entries. When entering values in millimetres, you can use numeric keys and to clear your entries. The specified mode is set, and the display returns to the Basic Features screen. The position of the binding holes refers not to the position in which the original is placed on the platen glass, but to the position of the binding holes when the surface of the original that you want to scan is viewed as face up, with the top edge at the top. Originals Copy 8 On 1 Reduces eight, 1sided or four, 2sided originals to fit onto one side or both sides of a copy sheet. The specified mode is set, and the display returns to the Basic Features screen. The following two Image Separation features are available 1 to 2 1sided and 2sided copies, and 1 to 4 1sided and 2sided copies. Dividing an Original Into Equal Sections and Enlarging Each Section on a Separate Copy Sheet Image 247 Separation The specified mode is set, and the display returns to the Basic Features screen. Press When there are multiple originals, follow the instructions that appear on the display and press once for each original. The specified mode is set, and the display returns to the Basic Features screen. Press When the original is placed on the platen glass, follow the instructions that appear on the touch panel display. You can use both the feeder and the platen glass for scanning. The originals are copied as one document, after all the batches have been scanned. Originals Copies IMPORTANT. The specified mode is set, and the display returns to the Basic Features screen. Press Scanning starts. Repeat this procedure as necessary. This is useful when waiting for large copy jobs to end or when using the remote copying features. Press Copying starts.

This is useful when you want to store the most frequently used Copy functions. When storing is complete, the message appears for about two seconds on the touch panel display. The name appears on the memory key. A message appears to confirm that you want to erase the copy mode. The message appears for about two seconds on the touch panel display. The stored copy mode is erased. For instructions on how to change the name, see "Storing a Memory Key Name,". The display returns to the Basic Features screen. The following two setting methods are available for the Image Repeat mode. Automatic Setting The original image is copied so that the maximum number of copies possible fits onto the selected paper. Original Copy Manual Setting. The number of times an image can repeat is from 1 to 20. The specified mode is set, and the display returns to the Basic Features screen. Press Copying starts. The specified mode is set, and the display returns to the Basic Features screen. Register in the machine Entire Image Original Copy Composition. The following screen is displayed after the sample prints. The display returns to the Special Features screen. Press Copying

starts. Enter a value from 1 to 9999 using numeric keys for the page number to start from. Copy Settings Table. 32 Setting Standard Keys. You can store up to two Standard Keys in addition to the Copy Ratio, Finisher, and TwoSided Mode keys on the Basic Features screen, the Special Features screen, or the memory keys containing stored copy settings in Mode Memory. The specified mode is set. Example The stored Standard Keys are displayed as shown below. Standard Key 1 Standard Key 2 Setting Standard Keys. With this function, you can set whether to copy the image in the same direction as the original. This section describes how to customise Standard Settings to suit your needs, or return the Standard Settings to their default settings. The message appears for about two seconds on the touch panel display.

You can set up to seven remote copy printers on this machine. Select a timeout setting from 5 to 30 seconds in 1second increments. Restoring Settings to Their Default Copy Settings 321. Combination Available Combination Unavailable Priority to LatterSet Mode Priority to Image Combination, Image Separation and Booklet mode Ratio can be changed Function Intend to Set Preset Zoom. By parts code you can check what other devices it is used. You can print your Parts List or export to Excel to further work with it. We only help you to create your parts list for request from your suppliers. Add your headers and comments. Use saved Parts Lists as templates to create new lists. Change the contents of the old list and save it as new. You can add, delete list items, change headers, comments and quantity of spare parts. This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file. Canon Authorized Dealers provide the highest quality service and are supported by Canon certified technicians using Canon Genuine parts. Please contact your Canon Authorized dealer for all your service needs. Need to find a dealer The driver may be included in your OS or you may not need a driver. Recommended Drivers File Name Date File Size Optional Drivers File Name Date File Size Recommended Software File Name Date File Size Optional Software File Name Date File Size Recommended Manuals File Name Date File Size Optional Manuals File Name Date File Size. Login to post You might like to try it first. Do not hold down. Do not hold down. Click the Copier button on the screen. The error will be cleared. If your tech savvy I might be able to guide you through a code reset. Thanks Press copier, function at top of display , CLEAR, ERR then OK. Power down and back up again the copier. If error continues then the fixing film assembly will have to be replaced.

Sounds like there is moisture in your paper. It dries out after going thru the fuser section on the first pass so on the second side the paper is dry and the copy will look alot better. Now if you have the system software for the 3300 and the utilities and know how to load it,, then yes, the hard drive itself is compatible. If you have a hard drive you can use, and no ability to load system software, then call a technician and tell them you have a harddrive and you need system software loaded. If you do, set the iR3320 up to forward the faxes to an email or ifax address another name for a email address. Set the other machine to receive the emails sent to the previously mentioned email address. Your other option is to set the iR3320 up to forward the faxes to a folder on a computer. In this case you can open and view the faxes and if you want them on paper, send the job to another printer. This setup is rather tricky, so unless you have a really really really clued up I.T. guy, i would recommend that you have a Canon technician set this up for you. Answer questions, earn points and help others. File names having the extension.pdf are PDF files. You need to have Adobe Acrobat Reader installed on your computer to read PDF files. Click on the file name to view the manual using your web browser. You may download and use the Content solely for your personal, noncommercial use and at your own risks. Canon shall not be held liable for any damages whatsoever in connection with the Content, including, without limitation, indirect, consequential, exemplary or incidental damages. You shall also not and shall not let others reproduce, modify, reformat or create derivative works from the Content, in whole or in part. Discover everything Scribd has to offer, including books and audiobooks from major publishers. Start Free Trial Cancel anytime.

For Later 100% 100% found this document useful, Mark this document as useful 0% 0% found this document not useful, Mark this document as not useful Embed Share Print Download Now Jump to Page You are on page 1 of 951 Search inside document Browse Books Site Directory Site Language English Change Language English Change Language.