

Please click price below and you will be redirected to our pharmacy.

## Colofac



**Generic Colofac** is used for treatment of irritable bowel syndrome. It is also indicated for treatment of gastrointestinal spasm secondary to organic disorder.

Active ingredient: [Mebeverine](#)

**Brand(s):**Colospa

**Manufacturer:** USV Private Limited

**Disease(s):**Irritable Bowel Syndrome / Spasms

### Colofac 135mg

|                       | Per pill | Per Pack                                | Order                       |
|-----------------------|----------|---|-----------------------------|
| 30 tablet             | \$ 1.26  | <b>\$ 37.90</b>                         | <a href="#">Add to cart</a> |
| 60 tablet             | \$ 1.22  | <b>\$ 73.40</b><br><del>\$75.80</del>   | <a href="#">Add to cart</a> |
| 90 tablet             | \$ 1.18  | <b>\$ 106.30</b><br><del>\$113.70</del> | <a href="#">Add to cart</a> |
| 120 tablet            | \$ 1.14  | <b>\$ 136.50</b><br><del>\$151.60</del> | <a href="#">Add to cart</a> |
| 180 tablet            | \$ 1.10  | <b>\$ 198.80</b><br><del>\$227.40</del> | <a href="#">Add to cart</a> |
| Free AirMail shipping |          |   |                             |
| 360 tablet            | \$ 1.06  | <b>\$ 380.00</b><br><del>\$454.80</del> | <a href="#">Add to cart</a> |

Free AirMail shipping

## Mebeverine tablet

### What is this medicine?

MEBEVERINE prevents nerve signals passing through to the muscle in the intestines. It helps the muscle to relax, preventing painful spasm.

### What should I tell my health care provider before I take this medicine?

They need to know if you have any of these conditions:

- blood diseases
- mental health problems
- an unusual or allergic reaction to mebeverine, other medicines, foods, dyes, or preservatives
- pregnant or trying to get pregnant
- breast-feeding

### How should I use this medicine?

Take this medicine by mouth. Swallow the tablets whole with water. Take your doses at regular intervals. You may take with or without food. Do not take your medicine more often than directed.

**Overdosage:** If you think you have taken too much of this medicine contact a poison control center or emergency room at once.

**NOTE:** This medicine is only for you. Do not share this medicine with others.

### What if I miss a dose?

If you miss a dose, take it as soon as you can. If it is almost time for your

